


**Patent Claims**

1. Preparations characterized by a content, based on the overall composition, of


5

(1) 2 to 60 per cent by weight of a partially quaternized amino-functional organopolysiloxane of the general formula

10




where




15


or



20





$R^3 =$   $-(CH_2)_q-H$  or



$R^4 =$   $-(CH_2)_3-O-CH_2-CH(OH)-CH_2-$

$-(CH_2)_3-O-CH_2-CH(H)-$   
5  $H_2C-OH$ ,



10  $R^5 =$   $-(CH_2)_r-H$ ,

$R^6 =$   $-(CH_2)_s-$ ,

$R^7 =$   $-(CH_2)_t-$ ,

15  $A^-$  represents inorganic or organic anions,  
n represents an integer from 1 - 20,  
m represents an integer from 20 - 2000,  
o, p and q each represent an integer from 1 -  
20, 10,  
r represents an integer from 1 - 18,  
s represents an integer from 2 - 3 and  
t represents an integer from 2 - 5,

25 with the proviso that the total nitrogen content of component (1) is in the range from 0.05 to 2.0 per cent by weight, based on the

overall composition of component (1),

- (2) 2 to 40 per cent by weight of an emulsifier,
- (3) 0 to 15 per cent by weight of a hydrotrope,  
5 and
- (4) 20 to 95 per cent by weight of water.

- 2. Use of the preparations according to Claim 1 in  
the finishing of textile substrates in aqueous  
10 baths and application liquors, if appropriate  
together with further fibre finishes.